



**AfriGreen<sup>®</sup>**  
African Green Distribution (Pty)



## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

EN331

### ART 45P

GAS APPROVED

2 Piece Brass Ball Valve BSP Parallel F/F Ends (ISO 228/1)

Full Bore • 40 Bar Rated (1/4" - 1") 32 Bar Rated (1 1/4" - 2") 16 Bar Rated (2 1/2" - 4")

-20°C to +150°C (1/4 - 2") • -10°C to +110°C (2 1/2 - 4") • WRAS +EN331 Gas Approved

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                                |
|-----------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R179.88      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 3/8"   | R179.88      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 1/2"   | R263.72      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 3/4"   | R374.90      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 1"     | R572.86      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 1 1/4" | R893.08      | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 1 1/2" | R1,347.98    | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 2"     | R2,020.72    | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 2 1/2" | R3,848.23    | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 3"     | R5,617.66    | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |
|                                                                                   | 4"     | R8,864.33    | <a href="https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf">https://drive.google.com/file/d/1p0nyv4EpsEFQpriAhbSf</a> |

Handle options: Tee Handle - Yellow

Lever - Yellow, Red + Blue EN331

### ART 45T

GAS APPROVED

2 Piece Brass Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 40 Bar Rated (1/4 - 1") • 32 Bar Rated (1 1/4 - 2") • 25 Bar Rated

(2 1/2 - 4"). -20°C to +150°C • WRAS +EN331 Gas Approved

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                              |
|-------------------------------------------------------------------------------------|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R196.15      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 3/8"   | R196.15      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 1/2"   | R302.59      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 3/4"   | R424.62      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 1"     | R646.76      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 1 1/4" | R992.51      | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 1 1/2" | R1,499.38    | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 2"     | R2,281.28    | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 2 1/2" | R4,961.19    | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 3"     | R7,319.98    | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |
|                                                                                     | 4"     | R10,926.63   | <a href="https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1">https://drive.google.com/file/d/1tPSehBNz_ByMwat64c1</a> |

Handle options: Tee Handle - Yellow

Lever - Yellow, Red + Blue

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

### ART 45 NPT

2 Piece Brass Ball Valve NPT F/F Ends (ANSI B1.20.1)

Full Bore • 40 Bar Rated (¼ - 1") 32 Bar Rated (1¼ - 2") 25 Bar Rated (2½ - 4")

-20°C to +150°C

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                            |
|-----------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R234.12      | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 3/8"   | R234.12      | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 1/2"   | R369.48      | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 3/4"   | R495.35      | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 1"     | R769.24      | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 1 1/4" | R1,184.14    | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 1 1/2" | R1,736.44    | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 2"     | R2,667.48    | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 2 1/2" | R6,151.43    | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 3"     | R8,587.50    | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |
|                                                                                   | 4"     | R13,022.38   | <a href="https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM">https://drive.google.com/file/d/1wiwhUU81NKPbhSekPM</a> |

### ART 46

2 Piece Brass Ball Valve BSP Parallel M/F Ends (ISO 228/1)

Full Bore • 40 Bar Rated (¼ - 1") 32 Bar Rated (1¼ - 2") • -20°C to +150°C

WRAS Approved

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                            |
|-------------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R230.50      | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 3/8"   | R230.50      | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 1/2"   | R328.80      | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 3/4"   | R463.71      | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 1"     | R725.85      | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 1 1/4" | R1,147.31    | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 1 1/2" | R1,685.59    | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |
|                                                                                     | 2"     | R2,575.28    | <a href="https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh">https://drive.google.com/file/d/1u5F5VPbdHCb-vOBMLh</a> |

### ART 47

2 Piece Brass Ball Valve BSP Parallel M/M Ends (ISO 228/1)

Full Bore • 40 Bar Rated • -20°C to +150°C • WRAS Approved

| Image                                                                               | Size | Public Price | Spec Sheet                                                                                                              |
|-------------------------------------------------------------------------------------|------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 3/8" | R171.52      | <a href="https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK">https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK</a> |
|                                                                                     | 1/2" | R263.72      | <a href="https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK">https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK</a> |
|                                                                                     | 3/4" | R401.12      | <a href="https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK">https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK</a> |
|                                                                                     | 1"   | R671.39      | <a href="https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK">https://drive.google.com/file/d/1HCZSUwv37Pbtf2KlsgK</a> |

Please note prices shown in red are items on a lead time.

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

### ART 40P

GAS APPROVED

2 Piece Brass Ball Valve BSP Parallel F/F Ends (ISO 228/1)

Full Bore • 40 Bar Rated (1/4 - 2") • 25 Bar Rated (2 1/2 - 4") • -20°C to +130°C

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                                |
|-----------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R120.45      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 3/8"   | R120.45      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 1/2"   | R171.29      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 3/4"   | R241.57      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 1"     | R374.45      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 1 1/4" | R592.30      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 1 1/2" | R890.59      | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 2"     | R1,353.40    | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 2 1/2" | R2,510.65    | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 3"     | R3,662.47    | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |
|                                                                                   | 4"     | R6,097.42    | <a href="https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5">https://drive.google.com/file/d/11jV8qT2IOUfQRMRAzkv5</a> |

Handle options: Tee Handle - Yellow, Red + Blue

Lever - Yellow (1/4" to 4")

Lever - Red + Blue (1/2" to 2")

### ART 40T

GAS APPROVED

2 Piece Brass Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 40 Bar Rated (1/4 - 2") • 25 Bar Rated (2 1/2 - 4") • -20°C to +130°C

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                          |
|-------------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R132.65      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 3/8"   | R132.65      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 1/2"   | R188.47      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 3/4"   | R265.98      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 1"     | R411.96      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 1 1/4" | R651.28      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 1 1/2" | R979.63      | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 2"     | R1,488.76    | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 2 1/2" | R2,761.49    | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 3"     | R4,028.56    | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |
|                                                                                     | 4"     | R6,707.12    | <a href="https://drive.google.com/file/d/14hbURULHTO6QBMS6Z">https://drive.google.com/file/d/14hbURULHTO6QBMS6Z</a> |

Handle options: Tee Handle - Yellow, Red + Blue

Lever - Yellow

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

### ART 40NPT

2 Piece Brass Ball Valve NPT F/F Ends (ANSI B1.20.1)

Full Bore • 40 Bar Rated (1/4 - 2") • 25 Bar Rated (2 1/2 - 4") • -20°C to +130°C

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                              |
|-----------------------------------------------------------------------------------|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R156.60      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 3/8"   | R156.60      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 1/2"   | R222.37      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 3/4"   | R314.11      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 1"     | R486.99      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 1 1/4" | R769.92      | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 1 1/2" | R1,157.93    | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 2"     | R1,759.49    | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 2 1/2" | R3,263.62    | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 3"     | R4,761.19    | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |
|                                                                                   | 4"     | R7,926.51    | <a href="https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn">https://drive.google.com/file/d/1_LGiv8iSDEJw-sz47Wn</a> |

Handle options: Tee Handle - Yellow, Red + Blue

Lever - Black/Yellow

### ART 54

2 Piece Brass Ball Valve BSP Parallel F/F Ends (ISO 228/1)

Full Bore • 32 Bar Rated (1/4 - 1") 25 Bar Rated (1 1/4 - 2")

16 Bar Rated (2 1/2 - 4") • -5°C to +110°C • WRAS Approved

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                            |
|-------------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R121.58      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 3/8"   | R121.58      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 1/2"   | R159.99      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 3/4"   | R233.89      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 1"     | R364.06      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 1 1/4" | R564.05      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 1 1/2" | R829.35      | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 2"     | R1,281.09    | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 2 1/2" | R2,283.31    | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 3"     | R3,198.08    | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |
|                                                                                     | 4"     | R5,442.75    | <a href="https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM">https://drive.google.com/file/d/1ZYBJzdKWikMclKZ2EM</a> |

Handle options: Lever - Red + Blue

### ART 89

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

GAS APPROVED

Brass Ball Valve Compression Ends

Full Bore • 25 Bar Rated • -10°C to +110°C • WRAS Approved

EN331 Gas Approved

| Image                                                                             | Size | Public Price | Spec Sheet                                                                                                          |
|-----------------------------------------------------------------------------------|------|--------------|---------------------------------------------------------------------------------------------------------------------|
|  | 15mm | R246.77      | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |
|                                                                                   | 22mm | R404.05      | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |
|                                                                                   | 28mm | R631.39      | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |
|                                                                                   | 35mm | R952.06      | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |
|                                                                                   | 42mm | R1,477.46    | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |
|                                                                                   | 54mm | R2,107.27    | <a href="https://drive.google.com/file/d/1yOStUQg9WA0dXS57M">https://drive.google.com/file/d/1yOStUQg9WA0dXS57M</a> |

Handle options: Tee Handle - Yellow, Red + Blue

Lever - Yellow, Red + Blue

Please note prices shown in red are items on a lead time.

### ART 160

Brass Ball Valve BSP Parallel F/F Ends (ISO 228/1)

Full Bore • 40 Bar Rated (1/4 - 1") 32 Bar Rated (1 1/4") 30 Bar Rated (1 1/2 - 2 1/2")

25 Bar Rated (3") • ISO Direct Mount • -20°C to +120°C

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                              |
|-------------------------------------------------------------------------------------|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R526.08      | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 3/8"   | R526.08      | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 1/2"   | R526.08      | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 3/4"   | R687.89      | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 1"     | R1,104.60    | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 1 1/4" | R1,453.51    | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 1 1/2" | R2,012.59    | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 2"     | R2,795.84    | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 2 1/2" | R7,162.47    | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |
|                                                                                     | 3"     | R10,089.60   | <a href="https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt">https://drive.google.com/file/d/143xvhC6UE8oqnL-z0gt</a> |

### ART 70/71

3 Way 'L' & 'T' Port Brass Ball Valve BSP Parallel Female Ends (ISO 228/1)

Reduced Bore • 32 Bar Rated (1/4 - 1") 25 Bar Rated (1 1/4 - 2")

-20°C to +150°C

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                              |
|-------------------------------------------------------------------------------------|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R1,773.50    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 3/8"   | R1,773.50    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 1/2"   | R2,336.87    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 3/4"   | R3,063.29    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 1"     | R4,392.05    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 1 1/4" | R5,467.61    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 1 1/2" | R9,369.85    | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |
|                                                                                     | 2"     | R13,622.59   | <a href="https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c">https://drive.google.com/file/d/1nk_ndlVBewFFXAX5j8c</a> |

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

### ART 87/88

3 Way 'T' & 'L' Port Brass Ball Valve BSP Parallel Female Ends (ISO 228/1)

30 Bar Rated (1/4 - 3/4") 20 Bar Rated (1 - 1 1/4") 16 Bar Rated (1 1/2 - 2")

PTFE Seals • ISO Direct Mount • -20°C to +120°C

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                          |
|-----------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R1,425.71    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 3/8"   | R1,425.71    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 1/2"   | R1,680.62    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 3/4"   | R2,387.26    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 1"     | R3,269.04    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 1 1/4" | R4,709.90    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 1 1/2" | R7,354.10    | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |
|                                                                                   | 2"     | R11,668.75   | <a href="https://drive.google.com/file/d/1vopM7r_b45av2IFmD">https://drive.google.com/file/d/1vopM7r_b45av2IFmD</a> |

### ART 175

Brass Gate Valve BS 5154 Approved BSP Taper F/F Ends (ISO 7/1)

25 Bar Rated • -10°C to +186°C • Kite Marked KM 553179

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                            |
|-------------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | #VALUE!      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 3/8"   | #VALUE!      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 1/2"   | R455.58      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 3/4"   | R614.44      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 1"     | R844.72      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 1 1/4" | R1,259.62    | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 1 1/2" | R1,464.58    | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 2"     | R2,395.17    | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 2 1/2" | #VALUE!      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 3"     | #VALUE!      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |
|                                                                                     | 4"     | #VALUE!      | <a href="https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67">https://drive.google.com/file/d/1OKckxsnN-RCmpAxM67</a> |

### ART 610

Brass Gate Valve Conforms to BS 5154 BSP Taper F/F Ends (ISO 7/1)

20 Bar Rated • -10°C to +180°C

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                            |
|-------------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/2"   | R252.42      | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 3/4"   | R340.10      | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 1"     | R461.45      | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 1 1/4" | R753.87      | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 1 1/2" | R1,016.24    | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 2"     | R1,485.15    | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 2 1/2" | R2,690.08    | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 3"     | R3,497.51    | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |
|                                                                                     | 4"     | R6,561.13    | <a href="https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX">https://drive.google.com/file/d/1_rmzE4DCsyFdHvQaqX</a> |

Please note prices shown in red are items on a lead time.

### ART 611

## Brass Valves

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                              |
|-----------------------------------------------------------------------------------|--------|--------------|-------------------------------------------------------------------------------------------------------------------------|
| Brass Gate Valve BSP Parallel F/F Ends<br>16 Bar Rated • -10°C to +110°C          |        |              |                                                                                                                         |
| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                              |
|  | 3/4"   | R176.94      | <a href="https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs">https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs</a> |
|                                                                                   | 1"     | R254.91      | <a href="https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs">https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs</a> |
|                                                                                   | 1 1/4" | R434.79      | <a href="https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs">https://drive.google.com/file/d/1YO9OJgkrRu22Zb8kKhs</a> |

### ART 615

Brass Gate Valve Conforms to BS 5154 Compression Ends

16 Bar Rated • -10°C to +110°C

| Image                                                                             | Size | Public Price | Spec Sheet                                                                                                              |
|-----------------------------------------------------------------------------------|------|--------------|-------------------------------------------------------------------------------------------------------------------------|
|  | 15mm | R198.41      | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |
|                                                                                   | 22mm | R375.35      | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |
|                                                                                   | 28mm | R516.37      | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |
|                                                                                   | 35mm | R1,016.46    | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |
|                                                                                   | 42mm | R1,333.06    | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |
|                                                                                   | 54mm | R2,188.85    | <a href="https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr">https://drive.google.com/file/d/15s48YQp_l-5G-uMFGGr</a> |

### ART 84M/84R

Brass Swing Check Valve BSP Parallel F/F Ends (ISO 228/1)

20 Bar Rated • Metal Seat • 0°C to +120°C • 84R Rubber Seat • 0°C to +100°C

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                            |
|-------------------------------------------------------------------------------------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|  | 1/2"   |              | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 3/4"   | R339.65      | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 1"     | R422.58      | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 1 1/4" | R639.30      | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 1 1/2" | R1,009.01    | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 2"     | R1,345.49    | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 2 1/2" | R2,084.00    | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 3"     | R3,417.28    | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |
|                                                                                     | 4"     | R5,543.31    | <a href="https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4">https://drive.google.com/file/d/1qviVOK9Y455Ev5mRN4</a> |

## Brass Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

### ART 66

Brass Spring Check Valve BSP Parallel F/F Ends (ISO 228/1)

20 Bar Rated • Flat Metal Disc • 0°C to +100°C

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                                |
|-----------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------------|
|  | 3/8"   |              | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 1/2"   | R195.93      | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 3/4"   | R281.57      | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 1"     | R419.87      | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 1 1/4" | R632.97      | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 1 1/2" | R890.37      | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 2"     | R1,367.64    | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 2 1/2" | R2,467.03    | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 3"     | R3,280.57    | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |
|                                                                                   | 4"     | R5,725.68    | <a href="https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP">https://drive.google.com/file/d/1nBfY05pFfBbnEwtie5uP</a> |

### ART 98

Stainless Steel Mesh Filter BSP Parallel Male End

16 Bar Rated • 0°C to +110°C

| Image                                                                              | Size   | Public Price | Spec Sheet                                                                                                                |
|------------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------------|
|  | 3/8"   |              | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 1/2"   | R105.08      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 3/4"   | R139.20      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 1"     | R177.40      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 1 1/4" | R206.09      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 1 1/2" | R239.54      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 2"     | R292.42      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 2 1/2" | R503.49      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 3"     | R560.88      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |
|                                                                                    | 4"     | R838.84      | <a href="https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f">https://drive.google.com/file/d/1p21HPxGi0eFhIXunuK1f</a> |

Please note prices shown in red are items on a lead time.

### ART 68

Brass Y Type Strainer BSP Parallel F/F Ends (ISO 228/1)

20 Bar Rated • 0°C to +150°C • Stainless Steel Screen

| Image                                                                               | Size   | Public Price | Spec Sheet                                                                                                                |
|-------------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------------|
|  | 1/2"   | R204.96      | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 3/4"   | R286.77      | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 1"     | R380.78      | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 1 1/4" | R720.20      | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 1 1/2" | R903.70      | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 2"     | R1,540.06    | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 2 1/2" | R3,051.87    | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 3"     | R3,916.02    | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |
|                                                                                     | 4"     | R8,037.01    | <a href="https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr">https://drive.google.com/file/d/1zwksiNMllhebcGP4FXcr</a> |

## Brass Valves

| Image                                                                             | Size | Public Price | Spec Sheet                                                                                                                  |
|-----------------------------------------------------------------------------------|------|--------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>ART 1360</b>                                                                   |      |              |                                                                                                                             |
| Automatic Air Vent BSP Parallel Male End                                          |      |              |                                                                                                                             |
| Body Brass CW617N Nickel Plated • 10 Bar Rated • +5°C to +110°C                   |      |              |                                                                                                                             |
| Image                                                                             | Size | Public Price | Spec Sheet                                                                                                                  |
|  | 3/8" | R425.07      | <a href="https://drive.google.com/file/d/1STII7ZO963E-u-8Y1i-wu">https://drive.google.com/file/d/1STII7ZO963E-u-8Y1i-wu</a> |
|                                                                                   | 1/2" | R425.07      | <a href="https://drive.google.com/file/d/1STII7ZO963E-u-8Y1i-wu">https://drive.google.com/file/d/1STII7ZO963E-u-8Y1i-wu</a> |

### ART 257 / ART 257C

Locking Device

To Suit Art 45, 40, 50, 59 & 89 Series • Consult Brass Product Information Book for more details

| Image                                                                              | Size   | Public Price | Spec Sheet                                                                                                          |
|------------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|
|  | 1/4"   | R144.40      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 3/8"   | R144.40      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1/2"   | R174.01      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 3/4"   | R174.01      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1"     | R242.25      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/4" | R242.25      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/2" | R327.67      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 2"     | R327.67      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | Size   | Public Price | Spec Sheet                                                                                                          |
|                                                                                    | 1/4"   |              |                                                                                                                     |
|                                                                                    | 3/8"   |              |                                                                                                                     |
|                                                                                    | 1/2"   | R111.18      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 3/4"   | R111.18      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1"     | R139.88      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/4" | R220.33      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/2" | R220.33      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 2"     | R265.75      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |

### ART 97

## Brass Valves

| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                          |
|-----------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|
| Thermal Extension                                                                 |        |              |                                                                                                                     |
| To Suit Art 45 Series • Consult Brass Product Information Book for more details   |        |              |                                                                                                                     |
| Image                                                                             | Size   | Public Price | Spec Sheet                                                                                                          |
|  | 1/4"   | R276.83      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 3/8"   | R276.83      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 1/2"   | R276.83      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 3/4"   | R276.83      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 1"     | R373.09      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 1 1/4" | R373.09      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 1 1/2" | R590.49      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 2"     | R590.49      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 2 1/2" | #VALUE!      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 3"     | #VALUE!      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                   | 4"     | #VALUE!      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |

### ART 97C

Thermal Extension

To Suit Art 40, 50, 59 + 89 Series Consult Brass Product Information Book for more details

| Image                                                                              | Size   | Public Price | Spec Sheet                                                                                                          |
|------------------------------------------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|
|  | 1/2"   | R181.91      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 3/4"   | R181.91      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1"     | R254.91      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/4" | R404.51      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 1 1/2" | R404.51      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |
|                                                                                    | 2"     | R469.36      | <a href="https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh">https://drive.google.com/file/d/16ANdPW_DmhfsxGNgh</a> |

Please note prices shown in red are items on a lead time.

Please note that all above prices are subject to change without notice.



**AfriGreen<sup>®</sup>**  
African Green Distribution (Pty)

