



AfriGreen[®]
African Green Distribution (Pty)



Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 901L

1 Piece Stainless Steel Ball Valve BSP Taper F/F Ends (ISO 7/1)

Reduced Bore • 69 Bar Rated (1/4 - 1 1/4") • 55 Bar Rated (1 1/2 - 2")

-25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R329.48	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	3/8"	R329.48	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	1/2"	R432.53	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	3/4"	R535.35	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	1"	R741.44	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	1 1/4"	R1,081.09	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	1 1/2"	R1,235.66	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing
	2"	R1,884.00	https://drive.google.com/file/d/14VqXT9ij8JilWka1FZdXXqE48apPTb4/view?usp=sharing

ART 902T

2 Piece Stainless Steel Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2 - 3") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R407.67	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	3/8"	R407.67	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	1/2"	R473.66	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	3/4"	R592.97	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	1"	R957.48	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	1 1/4"	R1,431.14	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	1 1/2"	R2,029.08	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	2"	R3,208.03	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	2 1/2"	R6,743.50	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing
	3"	R9,265.67	https://drive.google.com/file/d/1CcdpD4CFImDkRSAfj_c_eCx55MqxZdyR/view?usp=sharing

ART 902P

2 Piece Stainless Steel Ball Valve BSP Parallel F/F Ends (ISO 7/1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R407.67	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	3/8"	R407.67	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	1/2"	R473.66	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	3/4"	R592.97	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	1"	R957.48	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	1 1/4"	R1,431.14	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	1 1/2"	R2,029.08	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing
	2"	R3,208.03	https://drive.google.com/file/d/1fZP2hsFjvbTYmlBF3w8rYNvJXxhpT_Kh/view?usp=sharing

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 902NPT

2 Piece Stainless Steel Ball Valve NPT F/F Ends (ANSI B 1.20.1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R407.67	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	3/8"	R407.67	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	1/2"	R473.66	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	3/4"	R592.97	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	1"	R957.48	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	1 1/4"	R1,431.14	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	1 1/2"	R2,029.08	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing
	2"	R3,208.03	https://drive.google.com/file/d/16mjfYgm93Be30ROeJJI8yN3Uw_K8_dfY/view?usp=sharing

ART 912P

2 Piece Stainless Steel Ball Valve BSP Parallel F/F Ends (ISO 7/1)

Full Bore • 140 Bar Rated • -25°C to +200°C • PTFE Seals • Locking Device

Image	Size	Public Price	Spec Sheet
	1/4"	R540.77	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	3/8"	R540.77	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	1/2"	R619.87	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	3/4"	R778.05	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	1"	R1,266.17	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	1 1/4"	R1,886.04	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	1 1/2"	R2,677.42	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing
	2"	R4,220.65	https://drive.google.com/file/d/1UIbrGHWukkggl5WbK1pMOXnBN2J2DbYC/view?usp=sharing

Please note prices shown in red are items on a lead time.

ART 912NPT

2 Piece Stainless Steel Ball Valve NPT F/F Ends (ANSI B 1.20.1)

Full Bore • 140 Bar Rated • -25°C to +200°C • PTFE Seals • Locking Device

Image	Size	Public Price	Spec Sheet
	1/4"	R540.77	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	3/8"	R540.77	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	1/2"	R619.87	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	3/4"	R778.05	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	1"	R1,266.17	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	1 1/4"	R1,886.04	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	1 1/2"	R2,677.42	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing
	2"	R4,220.65	https://drive.google.com/file/d/14P61LSJUOG0ztWfS9_sKiKQA-Jz6cGGx/view?usp=sharing

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 903

3 Piece Stainless Steel Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2 - 3") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R576.70	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	3/8"	R597.27	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	1/2"	R741.44	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	3/4"	R1,081.09	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	1"	R1,410.57	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	1 1/4"	R2,028.18	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	1 1/2"	R3,088.71	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	2"	R4,241.66	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	2 1/2"	R8,545.25	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing
	3"	R13,075.03	https://drive.google.com/file/d/1dsV5gojt9V9KdnKQRQcfTm88DB1FUOi9/view?usp=sharing

ART 903 SW

3 Piece Stainless Steel Ball Valve Socket Weld Ends

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2 - 3") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R576.70	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	3/8"	R597.27	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	1/2"	R741.44	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	3/4"	R1,081.09	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	1"	R1,410.57	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	1 1/4"	R2,028.18	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	1 1/2"	R3,088.71	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	2"	R4,241.66	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	2 1/2"	R8,545.25	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing
	3"	R13,075.03	https://drive.google.com/file/d/1I9EFfH0AeF-8aPEmPrKPHiOu5MKwppNn/view?usp=sharing

ART 995T

3 Piece Stainless Steel Fire Safe Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 140 Bar Rated • -25°C to +200°C • PTFE Seals • Anti Static Device

ISO Direct Mount • TUV Certified to API STD 607 • Locking Device

Image	Size	Public Price	Spec Sheet
	1/2"	R1,253.06	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	3/4"	R1,833.38	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	1"	R2,255.29	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	1 1/4"	R3,521.46	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	1 1/2"	R4,748.09	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	2"	R6,317.52	https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	2 1/2"		https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	3"		https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing
	4"		https://drive.google.com/file/d/1HpBKDLbSNUKbcG26sL04vKq5HZgQWwRb/view?usp=sharing

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 995NPT

3 Piece Stainless Steel Fire Safe Ball Valve NPT F/F Ends (ANSI B 1.20.1)

Full Bore • 140 Bar Rated • -25°C to +200°C • PTFE Seals • Anti Static Device

ISO Direct Mount • TUV Certified to API STD 607 • Locking Device

Image	Size	Public Price	Spec Sheet
 	1/2"	R1,253.06	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	3/4"	R1,833.38	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	1"	R2,255.29	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	1 1/4"	R3,521.46	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	1 1/2"	R4,748.09	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	2"	R6,317.52	https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	2 1/2"		https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	3"		https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing
	4"		https://drive.google.com/file/d/15AhBqOC0Sn8uzal_eyJF-ALg2KspV2hR/view?usp=sharing

Please note prices shown in red are items on a lead time.

ART 803

3 Piece Carbon Steel Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2 - 3") • -25°C to +200°C • PTFE Seals • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/4"	R550.26	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	3/8"	R572.64	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	1/2"	R662.58	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	3/4"	R965.84	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	1"	R1,269.11	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	1 1/4"	R1,774.63	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	1 1/2"	R2,661.60	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	2"	R3,481.69	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	2 1/2"	R7,075.92	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing
	3"	R10,782.01	https://drive.google.com/file/d/1KClvG0y-mFjLYjzCkIBYSnPrJc2CZyB/view?usp=sharing

ART 993H

3 Piece Stainless Steel Ball Valve BSP Taper F/F Ends (ISO 7/1)

Full Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")

62 Bar Rated (2 - 4") • -25°C to +200°C • PTFE Seals • ISO Direct Mount

Locking Lever

Image	Size	Public Price	Spec Sheet
 	1/4"	R751.61	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	3/8"	R762.01	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	1/2"	R864.83	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	3/4"	R1,266.40	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	1"	R1,564.92	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	1 1/4"	R2,563.75	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	1 1/2"	R3,438.75	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	2"	R4,581.54	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	2 1/2"	R9,224.77	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	3"	R14,722.21	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing
	4"	R22,505.90	https://drive.google.com/file/d/1FF-KQR2Do3N_vo7H_NmgkHrfmhixdfSG/view?usp=sharing

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 926

2 Piece Flanged PN16/40 Stainless Steel Ball Valve

Full Bore • 40 Bar Rated (1/2 - 2") • 16 Bar Rated (2 1/2 - 8") • ISO Direct Mount

-25°C to +200°C (1/2 - 4") -25°C to +180°C (5 - 8") • PTFE Seats • Viton Seals

Locking Lever

Image	Size	Public Price	Spec Sheet
	1/2"	R2,800.36	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	3/4"	R3,706.54	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	1"	R4,787.41	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	1 1/4"	R5,662.41	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	1 1/2"	R7,309.58	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	2"	R10,707.21	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	2 1/2"	R16,472.66	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	3"	R22,855.72	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	4"	R32,533.58	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	5"	R52,317.09	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	6"	R72,442.50	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing
	8"	R124,660.61	https://drive.google.com/file/d/13geNcTshkNrEqiC_2ih7AB0Yfc74BwnE/view?usp=sharing

ART 956

2 Piece Flanged PN16 Stainless Steel Fire Safe Ball Valve

Full Bore • 40 Bar Rated (1/2 - 2") • 16 Bar Rated (2 1/2 - 4") • -25°C to +200°C

PTFE Seats • Anti Static Device • ISO Direct Mount • TUV Certified to API STD 607

Locking Device

Image	Size	Public Price	Spec Sheet
	1/2"	R3,732.53	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	3/4"	R4,919.38	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	1"	R6,343.96	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	1 1/4"	R7,478.16	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	1 1/2"	R9,627.92	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	2"	R14,086.07	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	2 1/2"	R21,643.33	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	3"	R30,005.08	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing
	4"	R42,679.90	https://drive.google.com/file/d/1UHM6_pA5cw7PzzEUUnNTs-dSmnu-NS2pH/view?usp=sharing

ART 928

2 Piece Flanged ANSI CLASS 150 Stainless Steel Ball Valve

Full Bore • 20 Bar Rated • -25°C to +200°C • PTFE Seats • Viton Seals

ISO Direct Mount • Locking Lever

Image	Size	Public Price	Spec Sheet
	1/2"	R2,697.31	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	3/4"	R3,551.97	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	1"	R4,777.01	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	1 1/4"	R5,641.84	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	1 1/2"	R7,618.50	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	2"	R11,368.65	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	2 1/2"	R17,502.00	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	3"	R23,473.55	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing
	4"	R38,506.26	https://drive.google.com/file/d/1wEIUJSZAbnEdk8dX3QctFANOV48ZRTk6/view?usp=sharing

Please note prices shown in red are items on a lead time.

ART 958

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
2 Piece Flanged ANSI CLASS 150 Stainless Steel Fire Safe Ball Valve			
Full Bore • 20 Bar Rated • -25°C to +200°C • PTFE Seats • Anti Static Device			
ISO Direct Mount • TUV Certified to API STD 607 • Locking Device			
Image	Size	Public Price	Spec Sheet
  	1/2"	R3,600.56	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	3/4"	R4,708.54	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	1"	R6,330.86	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	1 1/4"	R7,451.72	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	1 1/2"	R10,050.05	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	2"	R15,510.21	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	2 1/2"	R22,988.60	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	3"	R30,809.57	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing
	4"	R51,450.68	https://drive.google.com/file/d/1pY77DNdVsKQk7wfWAQjg6B-21joHZqt/view?usp=sharing

ART 987T/988L

PN82 Stainless Steel 'T' & 'L' Port Ball Valve BSP Taper F/F Ends (ISO 7/1)
 Reduced Bore • 82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2")
 62 Bar Rated (2 - 4") • -25°C to +200°C • PTFE/Viton Seals • ISO Direct Mount
 Locking Lever

Image	Size	Public Price	Spec Sheet
 	1/4"	R1,680.17	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	3/8"	R1,680.17	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	1/2"	R1,680.17	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	3/4"	R2,161.96	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	1"	R3,002.16	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	1 1/4"	R5,287.73	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	1 1/2"	R6,485.88	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	2"	R10,711.50	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	2 1/2"	R17,617.48	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	3"	R26,043.41	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing
	4"	R41,412.15	https://drive.google.com/file/d/1oUOfHOLhK3alACkkuAIC4Pdzb_9KDowG/view?usp=sharing

ART 960

Stainless Steel Gate Valve BSP Parallel F/F Ends (ISO 7/1)
 16 Bar Rated • -25°C to +180°C • Full Bore

Image	Size	Public Price	Spec Sheet
 	1/4"	R932.17	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	3/8"	R932.17	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	1/2"	R932.17	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	3/4"	R1,156.80	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	1"	R1,516.33	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	1 1/4"	R2,055.30	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	1 1/2"	R2,762.84	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing
	2"	R3,695.24	https://drive.google.com/file/d/1sYnMWmX5DXeKrKfUnkZ11qyNatoc3sxe/view?usp=sharing

ART 961

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
Stainless Steel Globe Valve BSP Parallel F/F Ends (ISO 7/1)			
16 Bar Rated • -25°C to +180°C • Full Bore			
	1/4"	R797.49	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	3/8"	R797.49	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	1/2"	R797.49	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	3/4"	R1,033.19	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	1"	R1,460.06	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	1 1/4"	R2,055.30	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	1 1/2"	R2,942.72	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing
	2"	R3,784.96	https://drive.google.com/file/d/1dD0Dgg4GvVWWMNpD9DKXnIn7DZKPvt1/view?usp=sharing

ART 963

Stainless Steel Disc Wafer Check Valve

16 Bar Rated • -25°C to +180°C • 'O' Ring Viton

Image	Size	Public Price	Spec Sheet
	2"	R2,186.82	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	2 1/2"	R2,792.22	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	3"	R3,274.01	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	4"	R5,003.45	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	5"	R6,523.17	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	6"	R8,868.85	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	8"	R14,430.02	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	10"	R22,559.23	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing
	12"	R36,421.13	https://drive.google.com/file/d/11diQkOgskbmcwTYWUMSkTLcmNUC1Xd7a/view?usp=sharing

To suit PN16 and ANSI 150 Flanges

Please note prices shown in red are items on a lead time.

ART 964

PN40 Stainless Steel Wafer Spring Check Valve

40 Bar Rated • -25°C to +200°C • Metal Seat

Image	Size	Public Price	Spec Sheet
	1/2"	R478.63	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	3/4"	R555.91	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	1"	R741.44	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	1 1/4"	R1,112.05	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	1 1/2"	R1,498.03	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	2"	R2,100.27	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	2 1/2"	R3,104.08	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	3"	R4,432.17	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing
	4"	R6,470.74	https://drive.google.com/file/d/1MTzTQzSrkuYoxTK1RvA5q7m4LBV3EQvZ/view?usp=sharing

To suit PN10, PN16 and ANSI 150 and 300 Flanges

ART 965

PN16 Stainless Steel Swing Check Valve BSP Parallel F/F Ends (ISO 7/1)

16 Bar Rated • -25°C to +180°C • Metal Seat

Image	Size	Public Price	Spec Sheet
	1/4"	R604.05	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	3/8"	R604.05	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	1/2"	R604.05	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	3/4"	R864.83	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	1"	R1,235.66	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	1 1/4"	R1,784.57	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	1 1/2"	R2,443.53	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing
	2"	R3,377.06	https://drive.google.com/file/d/1K0vXUfGXM1Bka2C31L-j5ZHNkbuZdAmm/view?usp=sharing

Stainless Steel Valves

Image	Size	Public Price	Spec Sheet
-------	------	--------------	------------

ART 966

PN82 Stainless Steel Spring Check Valve BSP Parallel F/F Ends (ISO 7/1)

82 Bar Rated (1/4 - 1") • 69 Bar Rated (1 1/4 - 1 1/2") • 62 Bar Rated (2 - 4")

-25°C to +180°C • Metal Seat

Image	Size	Public Price	Spec Sheet
	1/4"	R679.52	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	3/8"	R679.52	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	1/2"	R710.26	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	3/4"	R911.16	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	1"	R1,189.11	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	1 1/4"	R1,729.66	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	1 1/2"	R2,378.22	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	2"	R3,181.13	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	2 1/2"	R5,605.91	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	3"	R8,339.38	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing
	4"	R13,590.05	https://drive.google.com/file/d/1UzyXADaIQahGjJo5djyQS_y1f5sXcUA/view?usp=sharing

ART 968

Stainless Steel 'Y' Type Strainer BSP Parallel F/F Ends (ISO 7/1)

55 Bar Rated • -25°C to +180°C • Stainless Steel Screen 1mm

Image	Size	Public Price	Spec Sheet
	1/4"	R521.56	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	3/8"	R521.56	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	1/2"	R521.56	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	3/4"	R741.44	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	1"	R1,153.18	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	1 1/4"	R1,441.31	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	1 1/2"	R2,004.23	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	2"	R2,731.88	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	2 1/2"	R6,187.81	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	3"	R9,354.71	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing
	4"	R15,326.94	https://drive.google.com/file/d/13XcuBdqsBMbOXJ334_0wo0m0FRjIHvGD/view?usp=sharing

ART 969

Stainless Steel 'Y' Type Strainer Flanged PN16

16 Bar Rated • -25°C to +180°C • 1/2 - 2" 1mm Screen 2 1/2 - 4" 2mm Screen

Image	Size	Public Price	Spec Sheet
	1/2"	R3,406.89	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	3/4"	R4,394.65	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	1"	R6,345.09	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	1 1/4"	R8,515.19	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	1 1/2"	R9,512.67	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	2"	R13,793.65	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	2 1/2"	R19,943.73	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	3"	R26,452.88	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing
	4"	R31,121.65	https://drive.google.com/file/d/1a2RLRoTSWbGj3URWHwD_EV5AUpeEtkd0/view?usp=sharing

Please note prices shown in red are items on a lead time.

Please note that all above prices are subject to change without notice.



AfriGreen[®]
African Green Distribution (Pty)

